


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Previously Presented) A pyrimidone derivative represented by formula (I) or a salt thereof:



wherein Q represents CH or nitrogen atom;


R represents a C₁-C₁₂ alkyl group;

the ring of:



represents piperazine ring or piperidine ring;

each X independently represents



wherein X¹ represents

an optionally partially hydrogenated C₆-C₁₀ aryl ring which may be substituted;

an optionally substituted heterocyclic ring having 1 to 4 hetero atoms selected from oxygen atom, sulfur atom, and nitrogen atom, and having 5 to 10 ring-constituting atoms in total;

a group represented by $-N(Ra)(Rb)$

wherein Ra and Rb are the same or different and each is

hydrogen,

a C₁-C₄ alkyl group,

an aralkyl group which may be substituted, or

an aryl group which may be substituted, or

C₁-C₈ alkylcarbonyl group;

X² represents

a bond,

a C₁-C₄ alkylene group, or

N-Rd

wherein Rd represents

a hydrogen atom,

a C₁-C₄ alkyl group, or

C₁-C₈ alkylcarbonyl group;

m represents an integer of 1 to 3;

each Y independently represents

a hydroxy group, or

a C₁-C₈ alkyl group;

n represents an integer of 0 to 8;

when the ring represented by X has one or more substituents, the ring may have one or more substituents selected from:

a C₁-C₅ alkyl group;

C₃-C₆ cycloalkyl group;
a C₃-C₆ cycloalkyl-C₁-C₄ alkyl group;
a C₁-C₄ hydroxyalkyl group;
a halogen atom;
a C₁-C₅ halogenated alkyl group;
cyano group;
nitro group;
formyl group;
a benzene ring which may be substituted;
a naphthalene ring which may be substituted;
an optionally substituted heterocyclic ring having 1 to 4 hetero atoms selected from oxygen atom, sulfur atom and nitrogen atom, and having 5 to 10 ring-constituting atoms in total;
an amino group;
dimethylamino group;
an N-C₃-C₆ cycloalkyl-N-C₁-C₄ alkylaminoalkyl group wherein said C₁-C₄ alkyl may be substituted by hydroxy group or C₁-C₄ alkoxy group;
a C₁-C₅ monoalkylaminomethyl group;
a C₂-C₁₀ dialkylaminomethyl group;
pyrrolidinylmethyl group;
piperidinylmethyl group;
morpholinomethyl group;
piperazinylmethyl group;
pyrrolylmethyl group;

imidazolymethyl group;

pyrazolymethyl group;

triazolymethyl group;

and a group of the formula -E-Rf wherein

E represents O, S, SO, SO₂, CO or N(R⁴) and

Rf represents

a C₁-C₅ alkyl group,

a C₄-C₇ cycloalkyl group,

a C₄-C₇ cycloalkylalkyl group,

a C₁-C₅ hydroxyalkyl group,

a benzene ring which may be substituted,

a naphthalene ring which may be substituted,

an optionally substituted heterocyclic ring having 1 to 4 hetero atoms selected from oxygen atom, sulfur atom and nitrogen atom, and having 5 to 10 ring-constituting atoms in total,

an N-C₃-C₆ cycloalkyl-N-C₁-C₄ alkylaminoalkyl group,

a C₁-C₅ monoalkylaminoalkyl group,

C₂-C₁₀ dialkylaminoalkyl group,

pyrrolidinylmethyl group,

piperidinylmethyl group,

morpholinomethyl group,

piperazinylmethyl group,

pyrrolylmethyl group,

imidazolymethyl group,

pyrazolylmethyl group or

triazolylmethyl group,

C₁-C₈ alkylcarbonyl group,

C₃-C₈ cycloalkylcarbonyl group which may be substituted,

aralkylcarbonyl group which may be substituted,

C₆-C₁₀ arylcarbonyl group which may be substituted,

C₁-C₈ alkylsulfonyl group,

C₃-C₈ cycloalkylsulfonyl group which may be substituted,

aralkylsulfonyl group which may be substituted,

C₆-C₁₀ arylsulfonyl group which may be substituted,

C₁-C₈ alkyloxycarbonyl group,

C₃-C₈ cycloalkyloxycarbonyl group which may be substituted,

aralkyloxycarbonyl group which may be substituted,

C₆-C₁₀ aryloxycarbonyl group which may be substituted,

aminocarbonyl,

N-C₁-C₈ alkylaminocarbonyl group,

N, N'-C₁-C₈ dialkylaminocarbonyl group,

N-C₁-C₈ alkyl-N'-C₃-C₈ cycloalkylaminocarbonyl group,

N-C₁-C₈ alkyl-N'-aralkylaminocarbonyl group,

N-C₁-C₈ alkyl-N'-C₆-C₁₀ arylaminocarbonyl group,

C₃-C₈ cycloalkylaminocarbonyl group,

N,N'-C₃-C₈ dicycloalkylaminocarbonyl group,

N-C₃-C₈ cycloalkyl-N'-aralkylaminocarbonyl group,

N-C₃-C₈ cycloalkyl-N'-C₆-C₁₀ arylaminocarbonyl group,

aralkylaminocarbonyl group,

N,N'-diaralkylaminocarbonyl group,

N-aralkyl- N'-C₆-C₁₀ arylaminocarbonyl group,

C₆-C₁₀ arylaminocarbonyl group,

N,N'-C₆-C₁₀ diarylaminocarbonyl group, and

R⁴ represents

a hydrogen atom,

a C₁-C₄ alkyl group,

an aralkyl group,

C₃-C₈ cycloalkyl group or

an aryl group which may be substituted; and

when the ring represented by X has one or more substituents, the substituent may further

have one or more substituents selected from:

a C₁-C₅ alkyl group;

C₃-C₆ cycloalkyl group;

a C₃-C₆ cycloalkyloxy group;

C₁-C₄ hydroxyalkyl group;

a C₁-C₅ alkoxy group;

a C₄-C₇ cycloalkylalkoxy group;


a C₁-C₅ alkylthio group;

a C₁-C₅ alkylsulfonyl group;

a halogen atom;

a C₁-C₅ halogenated alkyl group;
a C₁-C₅ halogenated alkoxy group;
hydroxyl group;
cyano group;
nitro group;
formyl group;
a C₂-C₆ alkylcarbonyl group;
amino group;
a C₁-C₅ monoalkylamino group;
a C₂-C₁₀ dialkylamino group;
a cyclic amino group;
a C₂-C₁₀ monoalkylaminomethyl group;
a C₃-C₁₁ dialkylaminomethyl group;
a phenyl group;
an aralkyloxy group;
an aralkyloxycarbonyl group;
an C₂-C₄ alkanoyloxy-C₁-C₄ alkyl group;
an alkanoylamino group;
N-C₁-C₄ alkyl-N-alkanoylamino;
N-C₁-C₄ alkyl-N-heterocyclic ring amino group; and
a diheterocyclic ring amino group.

2. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 1 having the following formula(II)



wherein Q, R, X and Y are the same as those defined in claim 1;

p is 0 or 1; q is 0 or 1; r is an integer of 0 to 6; p+q is 1 or 2;

and Z represents N or CZ¹ wherein Z¹ represents hydrogen atom or Y.

3. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 2, wherein R is a C₁-C₃ alkyl group.

4. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 3, wherein R is methyl group or ethyl group; Y is in 3-, 4- or 5-position of the piperazine ring or the piperidine ring; p+q is 1; and r is an integer of 0 to 3.

5. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 4, wherein X is a C₁-C₈ alkyl group which may be substituted or a C₆-C₁₀ aryl ring which may be substituted; Y is a C₁-C₆ alkyl group; p is 1; q is 0; r is an integer of 0 to 3; and Z is N or CH.

6. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 5, wherein X is a benzene ring which may be substituted, a benzyl group which may be substituted; Y is a methyl group; Z is N and r is 0 or 1.

7. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 4, wherein X is a benzene ring which may be substituted, or a benzyl group which may be substituted; Y is a methyl group which may be substituted; Z is N and p is 0.

8. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 4, wherein X is a C₁-C₈ alkyl group substituted by a benzene ring which may be substituted or a benzene ring which may be substituted; Y is a hydroxy group; Z is CH or C-Y and r is 0 or 1.

9. (Previously Presented) The pyrimidone derivative or the salt thereof according to claim 8, wherein X is a benzyl group which may be substituted or a benzene ring which may be substituted; Y is a hydroxy group; Z is CH or C-Y and r is 0 or 1.

10. (Previously Presented) A pyrimidone derivative which is selected from the group consisting of:

2-(3-Phenylpiperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one; (*S*)-2-(3-(4-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-

one;

(*R*)-2-(3-(4-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Bromophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Bromophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(2-Bromophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(4-Methylphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(3-Methylphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(2-Methylphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(4-Cyanophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(3-Cyanophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(2-Cyanophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(4-Methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(3-Methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(2-Methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(2-Ethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;
2-(3-(5-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;
2-(3-(4-Fluoro-3-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;
2-(3-(4-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;
(*S*)-2-(3-(4-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;
(*R*)-2-(3-(4-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;
2-(3-(4-Chloro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(4-Fluoro-2-methylphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(2-Fluoro-6-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(5-Bromo-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(2-Bromo-4-fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(2-Chloro-6-fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(2,4-Difluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-

one;

2-(3-(2,6-Difluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-

one;

2-(3-(2,6-Dichlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-

one;

2-(3-(2,4-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-

4-one;

2-(3-(3,4-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-

4-one;

2-(3-(2,5-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-

4-one;

2-(3-(2,6-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2,4-Difluoro-6-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;(1034)

2-(3-(5-Cyano-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Cyano-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(1-Naphthyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Naphthyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2,3-Dihydrobenzofuran-7-yl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(Benzofuran-2-yl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

(*S*)-2-(3-(Benzofuran-2-yl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(Pyrrolidin-1-yl-methyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(Pyrrolidin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-methoxy-4-(pyrrolidin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-methoxy-5-(pyrrolidin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(Phenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(4-Fluorophenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(4-(4-Methoxyphenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(4-(2-Methoxyphenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(4-(Morpholin-4-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(3-(4-(4-Methylpiperazin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(4-Phenylpiperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(4-Benzylpiperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(4-Benzoylpiperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(4-(1,2-Benzisothiazol-3-yl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-

pyrimidin-4-one;

2-(4-Methyl-3-phenylpiperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Fluoro-2-methoxyphenyl)-4-methylpiperazin-1-yl)-3-methyl-6-(4-pyridyl)-

3*H*-pyrimidin-4-one;

(*S*)-2-(3-(4-Fluoro-2-methoxyphenyl)-4-methylpiperazin-1-yl)-3-methyl-6-(4-

pyridyl)-3*H*-pyrimidin-4-one;

(*R*)-2-(3-(4-Fluoro-2-methoxyphenyl)-4-methylpiperazin-1-yl)-3-methyl-6-(4-

pyridyl)-3*H*-pyrimidin-4-one;

2-(4-Acetyl-3-(4-fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-
3*H*-pyrimidin-4-one;

2-(4-Benzyl-3-(4-fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-
3*H*-pyrimidin-4-one;

2-(4-Benzyl-3-(ethoxycarbonyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;

2-(4-methyl-3-(1-naphthyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-
one;

2-(5,5-Dimethyl-3-(2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;

2-(3-Phenylpiperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Fluorophenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Fluorophenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Fluorophenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Chlorophenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Bromophenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Methoxyphenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Methoxyphenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Methoxyphenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(4-((Pyrrolidin-1-yl)methyl)phenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-
pyrimidin-4-one;

(*S*)-2-(3-(4-(Pyrrolidin-1-yl-methyl)phenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-
3*H*-pyrimidin-4-one;

(*R*)-2-(3-(4-(Pyrrolidin-1-yl-methyl)phenyl)piperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-Hydroxy-3-phenylpiperidin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-Phenylpiperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Fluorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Chlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Bromophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Bromophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Bromophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Cyanophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Cyanophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Cyanophenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(3-Methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Ethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(6-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(5-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

(*S*)-2-(3-(4-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

(*R*)-2-(3-(4-Fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Chloro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(5-Bromo-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2,6-Dichlorophenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(2,4-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyridyl)-3*H*-pyrimidin-4-one;

2-(3-(3,4-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(2,5-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(2,6-Dimethoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(2,4-Difluoro-6-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(1-Naphthyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-Naphthyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2,3-Dihydrobenzofuran-7-yl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(Benzofuran-2-yl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-

one;

2-(3-(4-(Pyrrolidin-1-yl-methyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-

3*H*-pyrimidin-4-one;

2-(3-(4-(Pyrrolidin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(2-methoxy-4-(pyrrolidin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-

pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(2-methoxy-5-(pyrrolidin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-

pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(Phenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-

one;

2-(3-(4-(4-Fluorophenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(4-Methoxyphenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(2-Methoxyphenyl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(Morpholin-4-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-(4-Methylpiperazin-1-yl)phenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(4-Fluoro-2-methoxyphenyl)-4-methylpiperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

(*S*)-2-(3-(4-Fluoro-2-methoxyphenyl)-4-methylpiperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

(*R*)-2-(3-(4-Fluoro-2-methoxyphenyl)-4-methylpiperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-Acetyl-3-(4-fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-Benzyl-3-(4-fluoro-2-methoxyphenyl)piperazin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-(4-Fluorophenyl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-Cyano-4-phenylpiperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-(6-Fluorobenofuran-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-

pyrimidin-4-one;

2-(3-(Benzoisoxazol-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

(*S*)-2-(3-(Benzoisoxazol-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

(*R*)-2-(3-(Benzoisoxazol-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(3-(6-Fluorobenzoisoxazol-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-(6-Fluorobenzoisoxazol-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one;

2-(4-(5-Methylbenzofuran-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one; and

2-(4-(6-Fluorobenzothiophene-3-yl)piperidin-1-yl)-3-methyl-6-(4-pyrimidyl)-3*H*-pyrimidin-4-one

or a salt thereof.

11. (Previously Presented) A medicament composition comprising as an active ingredient at least one pyrimidone derivative represented by formula (I) or a salt thereof according to claim 1.

12. (Canceled)

13. (Previously Presented) A method for therapeutic treatment of a disease selected from Alzheimer disease and non-insulin dependent diabetes comprising administering to a patient a therapeutically effective amount of the composition according to claim 11.

P28460

14. (Canceled)

15. (Canceled)

16. (Canceled)